RS (Disease Response and Clin Classification) RSCAT = BPRS 1988 VERSION BRIEF PSYCHIATRIC RATING SCALE (BPRS) RSDTC Patient Name Today's Date RSSTRESC/RSSTRESN RSORRES Please enter the score for the term that best describes the patient's condition. 0 = Not assessed, 1 = Not present, 2 = Very mild, 3 = Mild, 4 = Moderate, 5 = Moderately severe, 6 = Severe, Extremely severe Score 1. SOMATIC CONCERN RSTESTCD = BPRS0101 Preoccupation with physical health, fear of physical illness, hypochondriasis. RSTESTCD = BPRS0102 Worry, fear, over-concern for present or future, uneasiness. RSTESTCD = BPRS0103 **EMOTIONAL WITHDRAWAL** Lack of spontaneous interaction, isolation deficiency in relating to others. CONCEPTUAL DISORGANIZATION RSTESTCD = BPRS0104 Thought processes confused, disconnected, disorganized, disrupted. **GUILT FEELINGS** RSTESTCD = BPRS0105 Self-blame, shame, remorse for past behavior. RSTESTCD = BPRS0106 **TENSION** Physical and motor manifestations of nervousness, over-activation. RSTESTCD = BPRS0107 7. MANNERISMS AND POSTURING Peculiar, bizarre, unnatural motor behavior (not including tic). RSTESTCD = BPRS0108 **GRANDIOSITY** Exaggerated self-opinion, arrogance, conviction of unusual power or abilities. 9. DEPRESSIVE MOOD RSTESTCD = BPRS0109 Sorrow, sadness, despondency, pessimism. 10. HOSTILITY RSTESTCD = BPRS0110 Animosity, contempt, belligerence, disdain for others. 11. SUSPICIOUSNESS RSTESTCD = BPRS0111 Mistrust, belief others harbor malicious or discriminatory intent. RSTESTCD = BPRS0112 12. HALLUCINATORY BEHAVIOR Perceptions without normal external stimulus correspondence. RSTESTCD = BPRS0113 **MOTOR RETARDATION** Slowed, weakened movements or speech, reduced body tone. RSTESTCD = BPRS0114 14. UNCOOPERATIVENESS Resistance, guardedness, rejection of authority. UNUSUAL THOUGHT CONTENT RSTESTCD = BPRS0115 Unusual, odd, strange, bizarre thought content. **BLUNTED AFFECT** RSTESTCD = BPRS0116 Reduced emotional tone, reduction in formal intensity of feelings, flatness. RSTESTCD = BPRS0117 **EXCITEMENT** Heightened emotional tone, agitation, increased reactivity. RSTESTCD = BPRS0118 18. **DISORIENTATION** Confusion or lack of proper association for person, place or time.

BRIEF PSYCHIATRIC RATING SCALE (BPRS)

Instructions for the Clinician:

The Brief Psychiatric Rating Scale (BPRS) is a widely used instrument for assessing the positive, negative, and affective symptoms of individuals who have psychotic disorders, especially schizophrenia. It has proven particularly valuable for documenting the efficacy of treatment in patients who have moderate to severe disease.

It should be administered by a clinician who is knowledgeable concerning psychotic disorders and able to interpret the constructs used in the assessment. Also considered is the individual's behavior over the previous 2-3 days and this can be reported by the patient's family.

The BPRS consists of 18 symptom constructs and takes 20-30 minutes for the interview and scoring. The rater should enter a number ranging from 1 (not present) to 7 (extremely severe). 0 is entered if the item is not assessed.

First published in 1962 as a 16-construct tool by Drs. John Overall and Donald Gorham, the developers added two additional items, resulting in the 18-item scale used widely today to assess the effectiveness of treatment.

BPRS Scoring Instructions: RSTESTED = BPRS0119

Sum the scores from the 18 items. Record the total score and compare the total score from one evaluation to the next as the measure of response to treatment.

CDISC believes this instrument to be in the public domain, but you should perform your own assessment. CDISC specifies how to structure the data that has been collected in a database, not what should be collected or how to conduct clinical assessments or protocols.