Psoriasis Area and Severity Index Version 2 (PASI V2)

| Item Number | Item Description | Item Response | | |
|-------------------|---|---|--|--|
| | | If every item on the instrument was not completed, please provide the reason not done: RSREASND when RSSTAT = NOT DONE | | |
| Head | | | | |
| 1 R | Erythema/Redness Symptom Score STESTCD = PASI0201 | □ 0 = None □ 1 = Slight □ 2 = Mild □ 3 = Moderate □ 4 = Severe □ RSORRES RSORRES RSORRES RSORRES | | |
| 2 R | Thickness/Induration Symptom Score STESTCD = PASI0202 | □ 0 = None □ 1 = Slight □ 2 = Mild □ 3 = Moderate □ 4 = Severe □ RSORRES RSSTRESC/RSSTRESN | | |
| 3 R | Desquamation/Scaling Symptom Score STESTCD = PASI0203 | □ 0 = None □ 1 = Slight □ 2 = Mild □ 3 = Moderate □ 4 = Severe RSORRES RSSTRESC/RSSTRESN | | |
| 4 R | Area Score STESTCD = PASI0204 | □ 0 = No Involvement □ 1 = 1% - 9% □ 2 = 10% - 29% □ 3 = 30% - 49% □ 4 = 50% - 69% □ 5 = 70% - 89% □ 6 = 90% - 100% RSORRES RSSTRESC/RSSTRESN | | |
| Upper Extremities | | | | |
| 5 R | Erythema/Redness Symptom Score STESTCD = PASI0205 | □ 0 = None □ 1 = Slight □ 2 = Mild □ 3 = Moderate □ 4 = Severe | | |
| 6 R | Thickness/Induration Symptom Score STESTCD = PASI0206 | □ 0 = None □ 1 = Slight □ 2 = Mild □ 3 = Moderate □ 4 = Severe | | |

| Item Number | Item Description | Item Response | | |
|-------------|----------------------|------------------------------|--|--|
| 7 | Desquamation/Scaling | \square 0 = None | | |
| | Symptom Score | \square 1 = Slight | | |
| | RSTESTCD = PASI0207 | $\square 2 = Mild$ | | |
| | | \square 3 = Moderate | | |
| | | ☐ 4 = Severe | | |
| 8 | Area Score | \square 0 = No Involvement | | |
| | RSTESTCD = PASI0208 | □ 1 = 1% - 9% | | |
| | | □ 2 = 10% - 29% | | |
| | | □ 3 = 30% - 49% | | |
| | | □ 4 = 50% - 69% | | |
| | | □ 5 = 70% - 89% | | |
| | | □ 6 = 90% - 100% | | |
| Trunk | | | | |
| 9 | Erythema/Redness | $\square 0 = \text{None}$ | | |
| | Symptom Score | \square 1 = Slight | | |
| | RSTESTCD = PASI0209 | \square 2 = Mild | | |
| | | $\square 3 = Moderate$ | | |
| | | ☐ 4 = Severe | | |
| 10 | Thickness/Induration | $\square 0 = \text{None}$ | | |
| | Symptom Score | \square 1 = Slight | | |
| | RSTESTCD = PASI0210 | \square 2 = Mild | | |
| | | \square 3 = Moderate | | |
| | 7 (2 1) | ☐ 4 = Severe | | |
| 11 | Desquamation/Scaling | $\square 0 = \text{None}$ | | |
| | Symptom Score | \square 1 = Slight | | |
| | RSTESTCD = PASI0211 | □ 2 = Mild | | |
| | | \square 3 = Moderate | | |
| 12 | | ☐ 4 = Severe | | |
| 12 | Area Score | \Box 0 = No Involvement | | |
| | RSTESTCD = PASI0212 | $\square 1 = 1\% - 9\%$ | | |
| | | $\Box 2 = 10\% - 29\%$ | | |
| | | $\Box 3 = 30\% - 49\%$ | | |
| | | □ 4 = 50% - 69% | | |
| | | □ 5 = 70% - 89% | | |
| | | □ 6 = 90% - 100% | | |

| Item Number | Item Description | Item Response | | |
|-------------------|--|--|--|--|
| Lower Extremities | | | | |
| 13 | Erythema/Redness Symptom Score RSTESTCD = PASI0213 | ☐ 0 = None ☐ 1 = Slight ☐ 2 = Mild ☐ 3 = Moderate ☐ 4 = Severe | | |
| 14 | Thickness/Induration Symptom Score RSTESTCD = PASI0214 | ☐ 0 = None ☐ 1 = Slight ☐ 2 = Mild ☐ 3 = Moderate ☐ 4 = Severe | | |
| 15 | Desquamation/Scaling Symptom Score RSTESTCD = PASI0215 | ☐ 0 = None ☐ 1 = Slight ☐ 2 = Mild ☐ 3 = Moderate ☐ 4 = Severe | | |
| 16 | Area Score RSTESTCD = PASI0216 | □ 0 = No Involvement □ 1 = 1% - 9% □ 2 = 10% - 29% □ 3 = 30% - 49% □ 4 = 50% - 69% □ 5 = 70% - 89% □ 6 = 90% - 100% | | |

Reference: Feldman SR, Krueger GG. Psoriasis assessment tools in clinical trials. Ann Rheum Dis. 2005;64(Suppl 2):ii65–ii73.

CDISC created this CRF to represent the PASI V2. CDISC believes this instrument is in the public domain, but you should perform your own assessment. This is not a validated CRF or an endorsement of the PASI V2. CDISC specifies how to structure the data that has been collected in a database, not what should be collected or how to conduct clinical assessments or protocols.