FTCAT=4-STAIR DESCEND

4-Stair Descend

Item Number	Question	Answer FTREASND when
	Was the entire instrument	FTSTAT=NOT
	not done?	If not done, reason not done:
1	Was the 4-stair descend	│
	performed?	FTSTRESC
	FTTESTCD=D4STR101	No, Due to disease under study [Go to 4,
	, 112010D D 1011(101)	assign test grade = 1]
	If any three below to do the	
2	If yes, time taken to do the	minutes FTORRES/
	4-stair descend? FTTESTCD=D4STR102	——— minutes ——— seconds FTSTRESC
3	If yes, did subject wear	☐ Yes FTORRES/
	orthoses?	☐ No FTSTRESC
	FTTESTCD=D4STR103	I NO I TOTALEGO
4	Test grade (check one only)	(1) Unable to descend 4 standard stairs.
	FTTESTCD=D4STR104	(2) Descends 4 standard stairs "marking
		time" (descends 1 foot at a time, with both
		feet on a step before moving to next step),
		usi <mark>ng both arms on one or both handrails.</mark>
		(3) Descends 4 standard stairs "marking
		time" (descends 1 foot at a time, with both
		feet on a step before moving to next step),
	FTSTRESC/	using one arm on one handrail.
	FTSTRESN	(4) Descends 4 standard stairs "marking
		time" (descends 1 foot at a time, with both
		feet on a step before moving to next step), not
		needing handrail.
		☐ (5) Descends 4 standard stairs alternating
		feet, reeds handrail for support.
		(6) Descends 4 standard stairs alternating
		feet, rot needing handrail support.

CDISC created this CRF to represent the 4-Stair Descend. CDISC believes this instrument is in the public domain, but you should perform your own assessment. This is not a validated CRF or an endorsement of the 4-Stair Descend. CDISC specifies how to structure the data that has been collected in a database, not what should be collected or how to conduct clinical assessments or protocols.