Participant	
Name:	Date:

All of the tests should be performed in the same order as they are presented in this protocol. Instructions to the participants are shown in bold italic and should be given exactly as they are written in this script.

1. BALANCE TESTS

The participant must be able to stand unassisted without the use of a cane or walker. You may help the participant to get up.

Now let's begin the evaluation. I would now like you to try to move your body in different movements. I will first describe and show each movement to you. Then I'd like you to try to

do it, tell me and we'll move on to the next one. Let me emphasize that I do not want you to try to do any exercise that you feel might be unsafe.

do it If v

Do you have any questions before we begin?

- A. Side-by-Side Stand
 - 1. Now I will show you the first movement.
 - 2. (Demonstrate) *I want you to try to stand with your feet together, side-by-side, for about 10 seconds.*
 - 3. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop.
 - 4. Stand next to the participant to help him/her into the side-by-side position.
 - 5. Supply just enough support to the participant's arm to prevent loss of balance.
 - 6. When the participant has his/her feet together, ask "Are you ready?"
 - 7. Then let go and begin timing as you say, "Ready, begin."
 - 8. Stop the stopwatch and say "*Stop*" after 10 seconds or when the participant steps out of position or grabs your arm.
 - 9. If participant is unable to hold the position for 10 seconds, record result and go to the gait speed test.

B. Semi-Tandem Stand

- 1. Now I will show you the second movement.
- 2. (Demonstrate) Now I want you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about 10 seconds. You may put either foot in front, whichever is more comfortable for you.
- 3. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop.
- 4. Stand next to the participant to help him/her into the semi-tandem position
- 5. Supply just enough support to the participant's arm to prevent loss of balance.
- 6. When the participant has his/her feet together, ask "Are you ready?"
- 7. Then let go and begin timing as you say "Ready, begin."
- 8. Stop the stopwatch and say "*Stop*" after 10 seconds or when the participant steps out of position or grabs your arm.
- 9. If participant is unable to hold the position for 10 seconds, record result and go to the gait speed test.

C. Tandem Stand

- 1. Now I will show you the third movement.
- 2. (Demonstrate) Now I want you to try to stand with the heel of one foot in front of and touching the toes of the other foot for about 10 seconds. You may put either foot in front, whichever is more comfortable for you.
- 3. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop.
- 4. Stand next to the participant to help him/her into the tandem position.
- 5. Supply just enough support to the participant's arm to prevent loss of balance.
- 6. When the participant has his/her feet together, ask "Are you ready?"
- 7. Then let go and begin timing as you say, "Ready, begin."
- 8. Stop the stopwatch and say "*Stop*" after 10 seconds or when the participant steps out of position or grabs your arm.

SCORING:

A. Side-by-Side stand

Held for 10 sec	I point If participant did not attempt test or fail		why:	
Not held for 10 sec	0 points	Tried but unable	1	
Not attempted		Participant could not hold position unassisted	2	
		Not attempted, you felt unsafe 3		
		Not attempted, participant felt unsafe	4	
		Participant unable to understand instructions	5	
Number of seconds held if less than 10 sec:		Other (specify)	6	
Sec		Participant refused	7	

B. Semi-Tandem Stand

Held for 10 sec		If participant did not attempt test or failed, circle	why:
Not held for 10 sec	□0 points	Tried but unable	1
	·	Participant could not hold position unassisted	2
Not attempted D points		Not attempted, you felt unsafe	3
(circle reason to the right)		Not attempted, participant felt unsafe	4
If 0 points, end Balance Tests		Participant unable to understand instructions	5
•		Other (specify)	6
Number of seconds held if less than 10 sec:		Participant refused	7

Number of seconds held if less than 10 sec: _____Sec

C. Tandem Stand

Held for 10 sec	2 point	If participant did not attempt test or failed, circle	why:		
Held for 3 to 9.99 sec	□1 points	Tried but unable	1		
Held for < than 3 sec	□ 0 points	Participant could not hold position unassisted	2		
	·	Not attempted, you felt unsafe	3		
Not attempted		Not attempted, participant felt unsafe			
(circle reason above)		Participant unable to understand instructions	5		
		Other (specify)	6		

Participant refused

Number of seconds held if less than 10 sec:

____.Sec

D. Total Balance Tests score _____ (sum points)

Comments:_____

7

2. GAIT SPEED TEST

Now I am going to observe how you normally walk. If you use a cane or other walking aid and you feel you need it to walk a short distance, then you may use it.

A. First Gait Speed Test

- 1. This is our walking course. I want you to walk to the other end of the course at your usual speed, just as if you were walking down the street to go to the store.
- 2. Demonstrate the walk for the participant.
- 3. Walk all the way past the other end of the tape before you stop. I will walk with you. Do you feel th is would be safe?
- 4. Have the participant stand with both feet touching the starting line.
- 5. When I want you to start, I will say: "Ready, begin." When the participant acknowledges this instruction say: 'Ready, begin."
- 6. Press the start/stop button to start the stopwatch as the participant begins walking.
- 7. Walk behind and to the side of the participant.
- 8. Stop timing when one of the participant's feet is completely across the end line.

B. Second Gait Speed Test

- 1. Now I want you to repeat the walk. Remember to walk at your usual pace, and go all the way past the other end of the course.
- 2. Have the participant stand with both feet touching the starting line.
- 3. When I want you to start, I will say: "Ready, begin." When the participant acknowledges this instruction say: Ready, begin."
- 4. Press the start/stop button to start the stopwatch as the participant begins walking.
- 5. Walk behind and to the side of the participant.
- 6. Stop timing when one of the participant's feet is completely across the end line.

GAIT SPEED TEST SCORING:					
Length of walk test course: Four meters Three meters					
A. Time for First Gait Speed Test (sec)					
1. Time for 3 or 4 meters sec					
2. If participant did not attempt test or failed, circle why:					
Tried but unable 1					
Participant could not walk unassisted 2					
Not attempted, you felt unsafe 3					
Not attempted, participant felt unsafe 4					
Participant unable to understand instructions 5					
Other (Specify)6					
Participant refused 7					
Complete score sheet and go to chair stand test					
3. Aids for first walk None 🗖 Cane 🗖 Other 🗖					
Comments:					

B. Time for Second Gait Speed Test (sec)

1. Time for 3 or 4 meters sec	
2. If participant did not attempt test or failed, circle why	y:
Tried but unable	1
Participant could not walk unassisted	2
Not attempted, you felt unsafe	3
Not attempted, participant felt unsafe	4
Participant unable to understand instructions	5
Other (Specify)	6
Participant refused	7
3. Aids for second walk None \Box Cane \Box	Other 🗖
What is the time for the faster of the two walks?	
Record the shorter of the two times sec	;
[If only 1 walk done, record that time] se	ec
If the participant was unable to do the walk: $igsqcap{0}0$	points

For 4-Meter Walk:		For 3-Meter Walk:	
If time is more than 8.70 sec:	🗖 1 point	If time is more than 6.52 sec:	□1 point
If time is 6.21 to 8.70 sec:	2 points	If time is 4.66 to 6.52 sec:	2 points
If time is 4.82 to 6.20 sec:	3 points	If time is 3.62 to 4.65 sec:	3 points
If time is less than 4.82 sec:	4 points	If time is less than 3.62 sec:	4 points

3. CHAIR STAND TEST

Single Chair Stand

- 1. Let's do the last movement test. Do you think it would be safe for you to try to stand up from a chair w ithout using your arm s?
- 2. The next test measures the strength in your legs.
- 3. (Demonstrate and explain the procedure.) *First, fold your arms across your chest and sit so that your feet are on the floor; then stand up keeping your arms folded across your chest.*
- 4. Please stand up keeping your arms folded across your chest. (Record result).
- 5. If participant cannot rise without using arms, say "Okay, try to stand up using your arms." This is the end of their test. Record result and go to the scoring page.

Repeated Chair Stands

- 1. Do you think it would be safe for you to try to stand up from a chair five times without using your arms?
- 2. (Demonstrate and explain the procedure): *Please stand up straight as QUICKLY as you can five times, without stopping in between. After standing up each time, sit down and then stand up again. Keep your arms folded across your chest. I'll be timing you with a stopwatch.*
- 3. When the participant is properly seated, say: "Ready? Stand" and begin timing.
- 4. Count out loud as the participant arises each time, up to five times.
- 5. Stop if participant becomes tired or short of breath during repeated chair stands.
- 6. Stop the stopwatch when he/she has straightened up completely for the fifth time.
- 7. Also stop:
 - If participant uses his/her arms
 - After 1 minute, if participant has not completed rises
 - At your discretion, if concerned for participant's safety
- 8. If the participant stops and appears to be fatigued before completing the five stands, confirm this by asking "Can you continue?"
- 9. If participant says "Yes," continue timing. If participant says "No," stop and reset the stopwatch.

SCORING

Single Chair Stand Test

		Yes	No
Α.	Safe to stand without help		0
В.	Results:		
	Participant stood without using arms		\rightarrow Go to Repeated Chair Stand Test
	Participant used arms to stand		\rightarrow End test; score as 0 points
	Test not completed		\rightarrow End test; score as 0 points
C.	If participant did not attempt test or failed, circle why:		
	Tried but unable	1	
	Participant could not stand unassisted	2	
	Not attempted, you felt unsafe	3	
	Not attempted, participant felt unsafe	4	
	Participant unable to understand instructions	5	
	Other (Specify)	6	
	Participant refused	7	
Repea	ated Chair Stand Test		
		Yes	No
Α.	Safe to stand five times		
В.	If five stands done successfully, record time in seconds.		
	Time to complete five stands sec		
C.	If participant did not attempt test or failed, circle why:		
	Tried but unable	1	
	Participant could not stand unassisted	2	
	Not attempted, you felt unsafe	3	
	Not attempted, participant felt unsafe	4	
	Participant unable to understand instructions	5	
	Other (Specify)	6	
	Participant refused	7	

Scoring the Repeated Chair Test

0 points
□1 points
2 points
3 points
□4 points

Short Physical Performance Battery Protocol and Score Sheet

Participant ID:		Date:	Tester Initials:	
Scoring for Complete Sh	ort Physical Porforman	co Battory		
Scoring for complete Si	on Filysical Ferrorman	Le Dallery		
Test Scores				
Total Balance Test score	points			
Gait Speed Test score	points			
Chair Stand Test score	points			
Total Score	points (sum o	f points above)		